





Palletizer ST30

De ST30 is een volautomatische palletiseermachine die zakken op hoge snelheid stevig stapelt. Door de automatische palletinvoer en -uitvoer kan de productie ongestoord blijven draaien. De machine kan tot 22 zakken per minuut verwerken en maakt nauwkeurig stapelen mogelijk, zelfs met overlappende producten. Optioneel kan de machine worden geconfigureerd met een Dual Purpose manipulator voor dozen en kratten. Via het ingebouwde touchscreen kunt u de gehele machine instellen en bedienen. Onze palletiseermachines zijn geheel naar wens te configureren.



Specificaties

- Tot **22 zakken** per minuut*
- Zakken tot 900mm lengte
- Elke type pallet tot 1600mm breedte
- Touchscreen bediening met **online connectie**
- Pallet in- en uitvoer: **volautomatisch**
- Veiligheidshekwerk bij in- en uitvoerzijde
- Elektriciteit: 400V / 3 Fase 0 + aarde
- Perslucht 7 bar, schoon en droog

* afhankelijk van patroon, invoer, stapelhoogte, type product/verpakking

Opties

- Gesloten stapelkooi
- Verstelbare stapelwand voor 2 palletformaten
- Dual Purpose manipulator om naast zakken ook dozen en kratten te kunnen verwerken
- Pneumatisch/Elektrisch verstelbare formeerkraag
- Automatische wikkelmachine
- Slipsheetdispenser
- Hoekenzetter en omsnoeringsmachine



Palletizer ST30

The ST30 is a fully automatic palletizing machine that stacks bags securely at high speed. Thanks to the automatic pallet input and output, production can continue to run uninterrupted. The machine can process up to 22 bags per minute and enables precise stacking, even with overlapping products. Optionally, the machine can be configured with a Dual Purpose manipulator for boxes and crates. You can set and operate the entire machine via the built-in touchscreen. Our palletizers can be configured entirely according to your wishes.



Specifications

- Up to 22 bags per minute*
- Bags up to 900mm length
- Any type of pallet up to 1600mm width
- Touchscreen operation with online connection
- Pallet import and export: fully automatic
- Safety fencing on the entry and exit sides
- Electricity: 400V / 3 Phase 0 + earth
- Compressed air 7 bar, clean and dry





* afhankelijk van patroon, invoer, stapelhoogte, type product/verpakking

Options

- Closed stacking cage
- Adjustable stacking wall for 2 pallet sizes
- Dual Purpose manipulator to process boxes and crates in addition to bags
- Pneumatically/electrically adjustable forming collar
- Automatic wrapping machine
- Slipsheet Dispenser
- Corner setter and strapping machine



SOLIDTEC
bag & pallet solutions



WWW.SOLIDTEC.NL